



GEAR TECH



SAFETY SHOES

2019-2020

WE ARE **MANUFACTURER** OF SAFETY SHOES. OUR COMPANY IS KNOWN TO NEVER COMPROMISE ON QUALITY OF THEIR PRODUCTS. OUR MOTTO IS CUSTOMER SATISFACTION, EMPLOYEE MOTIVATION, TECHNOLOGY.

CALL NOW: +42 35219086 | +92 3324644569 | +923464003007

FEATURES OF A SAFETY SHOE

EXPLODED VIEW



LIGHTWEAR RANGE

Durable safety solutions for everyday light business hazards

UTILITY

HEAVYWEAR RANGE

Hard - working protection for heavy industry demands

UTILITY

EXECUTIVE

EXTREMEWEAR RANGE

Superior protection for the harshest work environments

EXTREME MULTI PURPOSE

EXTREME MULTI - CUT RESISTANT, ANTI SLIP, HEAT RESISTANT

PARAMILITARY RANGE

Safety boot for security, paramilitary and policing operations

LEATHER

KADURA

UTILITY RANGE

Varsatile, practical starter shoes for light work environments

LIGHTWEAR RANGE



GT- KM ♂
Utility Safety Shoe

SIZES COLOUR
6-11 BLACK

SLIP RESISTANT
S (1) 2 3 4 5

HEAT RESISTANT
H (1) 2 3 4 5

WATER RESISTANT
W (1) 2 3 4 5

ABRASION RESISTANT
A (1) 2 3 4 5

UPPER	Genuine plain leather Eyelet lace-up
LINNING	Special needle- fibred vamp lining
IN-SOCKS	Non-woven in-socks for comfort and stability
MIDSOLE	Shank reinforcement for arch support
TOE CAP	Steel (200J) - With labortory report
SOLE	IMS- (Injection moulding sole)



Recommended
for Construction
Work

GT- 843 ♂
Utility Safety Shoe

SIZES COLOUR
6-11 BLACK

SLIP RESISTANT
S (1) 2 3 4 5

HEAT RESISTANT
H (1) 2 3 4 5

WATER RESISTANT
W (1) 2 3 4 5

ABRASION RESISTANT
A (1) 2 3 4 5

UPPER	Genuine plain leather Hooks lace-up
LINNING	Special needle- fibred vamp lining
IN-SOCKS	Non-woven in-socks for comfort and stability
MIDSOLE	Shank reinforcement for arch support
TOE CAP	Steel (200J) - With labortory report
SOLE	IMS- (Heat resistant to 95° C)

UTILITY RANGE

Varsatile, practical starter shoes for light work environments



GT- JG ♂
Utility Safety Shoe

SIZES COLOUR
39-46 BLACK

SLIP RESISTANT

S 1 2 3 4 5

HEAT RESISTANT

H 1 2 3 4 5

WATER RESISTANT

W 1 2 3 4 5

ABRASION RESISTANT

A 1 2 3 4 5

UPPER Genuine plain **leather**| Eyelet lace-up| Padded collar

LINNING **Synthetic** Linning

IN-SOCKS Comfortable & Flexible

MIDSOLE Shank reinforcement for **arch support**

TOE CAP Steel (**200J**) - With labortory report

SOLE PU- (Single density sole)- Stuck-on



Recommended
for Electrical
purpose

GT- TPR ♂
Utility Safety Shoe

SIZES COLOUR
6-11 BLACK

SLIP RESISTANT

S 1 2 3 4 5

HEAT RESISTANT

H 1 3 4 5

WATER RESISTANT

W 1 2 3 4 5

ABRASION RESISTANT

A 1 2 3 4 5

UPPER Genuine plain **leather**| Eyelet lace-up| **Padded** collar

LINNING Special needle-**fibered** vamp lining

IN-SOCKS Anti-static, Anti-bacterial, Non-woven in-socks for **comfort** and **stability**

TOE CAP Steel (**200J**) - With labortory report

SOLE TPR- (Electric shock resistant sole)

UTILITY RANGE

Varsatile, practical starter shoes for light work environments



Recommended
for Electrical
purpose

GT- TPR II ♂
Utility Safety Shoe

SIZES **COLOUR**
6-11 BLACK

SLIP RESISTANT

S 1) 2) 3) 4) 5)

HEAT RESISTANT

H 1) 2) 3) 4) 5)

WATER RESISTANT

W 1) 2) 3) 4) 5)

ABRASION RESISTANT

A 1) 2) 3) 4) 5)

UPPER Genuine plain **leather** | Eyelet lace-up | **Padded** collar

LINNING Special needle-**fibered** vamp lining

IN-SOCKS Anti-static, Anti-bacterial, Non-woven in-socks for **comfort** and **stability**

TOE CAP Steel **(200J)** - With labortory report

SOLE TPR- (Electric shock resistant sole)

EXECUTIVE RANGE

Heavywear that provides the safety essentials. Ideal for bulk purchase



GT- GL ♂

Utility Safety Shoe

SIZES COLOUR

6-12 BLACK / BROWN

SLIP RESISTANT

S 1 2 3 4 5

HEAT RESISTANT

H 1 2 3 4 5

WATER RESISTANT

W 1 2 3 4 5

ABRASION RESISTANT

A 1 2 3 4 5

UPPER Full Grain **leather**| Hooks, Lace up| Padded collar for comfort| Padded tongue

LINNING **Needle-fibred** vamp lining for excellent perspiration absorption

IN-SOCKS Flexibility, comfort and stability

MIDSOLE Shank reinforcement for **arch support**, Midsole plate 90705

TOE CAP Steel (**200J**) - With laboratory report

SOLE PU- (Heat Resistant upto 95°C)



GT- RN ♂

Utility Safety Shoe

SIZES COLOUR

40-46 BLACK / BROWN

SLIP RESISTANT

S 1 2 3 4 5

HEAT RESISTANT

H 1 2 3 4 5

WATER RESISTANT

W 1 2 3 4 5

ABRASION RESISTANT

A 1 2 3 4 5

UPPER Full Grain **leather**| 4 pair Hooks, Lace up| Padded collar for comfort| Padded tongue

LINNING **Needle-fibred** vamp lining for excellent perspiration absorption

IN-SOCKS Flexibility, comfort and stability, Anti-static, Anti-bacterial

MIDSOLE Shank reinforcement for **arch support**, Midsole plate 90709

TOE CAP Steel (**200J**) - With laboratory report

SOLE PU- (Heat Resistant upto 95°C)

EXECUTIVE RANGE

Heavywear that provides the safety essentials. Ideal for bulk purchase

HEAVYWEAR RANGE



GT- MN ♂
Utility Safety Shoe

SIZES COLOUR
40-45 BLACK & ORANGE

SLIP RESISTANT

S 1 2 3 4 5

HEAT RESISTANT

H 1 2 3 4 5

WATER RESISTANT

W 1 2 3 4 5

ABRASION RESISTANT

A 1 2 3 4 5

UPPER Full Grain **leather** | Hooks, Lace up | Padded collar for comfort | Padded tongue

LINNING **Needle-fibred** vamp lining for excellent perspiration absorption

IN-SOCKS Flexibility, comfort and stability

MIDSOLE Shank reinforcement for **arch support**, Midsole plate 90709

TOE CAP Steel (**200J**) - With laboratory report

SOLE PU- (Heat Resistant upto 95°C)



GT- PZL ♂
Utility Safety Shoe

SIZES COLOUR
6-12 BLACK

SLIP RESISTANT

S 1 2 3 4 5

HEAT RESISTANT

H 1 2 3 4 5

WATER RESISTANT

W 1 2 3 4 5

ABRASION RESISTANT

A 1 2 3 4 5

UPPER Full Plain **leather** | Eyelets, Lace up | Padded collar for comfort | Strap for easy wearing

LINNING **Synthetic** lining, Non-resolveable thread

IN-SOCKS Flexibility, comfort and stability, Anti-static, Anti-bacterial


MIDSOLE Shank reinforcement for **arch support**, Midsole plate 90707

TOE CAP Steel (**200J**) - With laboratory report

SOLE PU- Single density- Double Coating (Heat Resistant upto 95°C)

EXECUTIVE RANGE

Advanced comfort engineering for workers on their feet all day



GT- BR ♂
Executive Safety Shoe

SIZES COLOUR
6-12 BLACK & RED

SLIP RESISTANT **S** 1 2 3 4 5
HEAT RESISTANT **H** 1 2 3 4 5
WATER RESISTANT **W** 1 2 3 4 5
ABRASION RESISTANT **A** 1 2 3 4 5

UPPER	Full Grain leather Special hooks, Lace up Padded collar for comfort Double padded tongue, Vantilation splits Reflective strip on full shoe for high visibility
LINNING	Needle-fibred vamp lining for excellent perspiration absorption
IN-SOCKS	Flexibility, comfort and stability, Anti-static, Double thickness with good grip
MIDSOLE	Shank reinforcement for arch support , Midsole plate 90800
TOE CAP	Steel (200J) - With labortory report
SOLE	PU- Dual thickness (Heat Resistant upto 95° C)



Recommended
for Fully Heat
Work

GT- DMS ♂
Executive Safety Shoe

SIZES COLOUR
6-12 BLACK

SLIP RESISTANT **S** 1 2 3 4 5
HEAT RESISTANT **H** 1 2 3 4 5
WATER RESISTANT **W** 1 2 3 4 5
ABRASION RESISTANT **A** 1 2 3 4 5

UPPER	Plain leather Eyelets, Lace up Padded collar for comfort Heat Reistant
LINNING	Needle-fibred vamp lining for excellent perspiration absorption
IN-SOCKS	Flexibility, comfort and stability, Heat Resistant, Anti-bacterial
MIDSOLE	Shank reinforcement for arch support , Midsole plate 90709
TOE CAP	Steel (200J) - With labortory report
SOLE	DMS Sole (Direct Moulding Sole, Fully Heat Resistant)

EXTREME RANGE

Enhanced defence against rough surface

EXTREMEWEAR RANGE



Recommended for Office Use

GT- CS/CRP ♂
Extreme Safety Shoe

SIZES COLOUR
39-44 BLACK/BROWN

SLIP RESISTANT (S 1 2 3 4 5) HEAT RESISTANT (H 1 2 3 4 5) WATER RESISTANT (W 1 2 3 4 5) ABRASION RESISTANT (A 1 2 3 4 5)

UPPER	Full Grain leather Without Laces Padded collar for comfort Low Ankle
LINNING	Machine vamp lining for excellent absorption
IN-SOCKS	Flexibility, comfort and stability
MIDSOLE	Without Shank Plate
TOE CAP	Steel (200J) - With laboratory report
SOLE	American Crape Sole



Recommended for Office Use

GT- CRP ♂
Extreme Safety Shoe

SIZES COLOUR
6-11 BLACK/TANG/BROWN

SLIP RESISTANT (S 1 2 3 4 5) HEAT RESISTANT (H 1 2 3 4 5) WATER RESISTANT (W 1 2 3 4 5) ABRASION RESISTANT (A 1 2 3 4 5)

UPPER	Full Plain leather Eyelets, Lace up Padded collar for comfort Padded tongue
LINNING	Synthetic lining, Non-resolveable thread
IN-SOCKS	Flexibility, comfort and stability, Anti-static, Anti-bacterial
MIDSOLE	Without Shank Plate / Mid Sole Plate
TOE CAP	Steel (200J) - With laboratory report
SOLE	American Crape Sole

EXTREME MULTIRANGE

Insulated protection against severe heat and cold, cut resistant, anti-slip

EXTREMEWEAR RANGE



GT- DD/LC ♂

Extreme Multi Safety Shoe

SIZES COLOUR

40-45 BLACK/TANG/BROWN

SLIP RESISTANT

S 1 2 3 4 5

HEAT RESISTANT

H 1 2 3 4 5

WATER RESISTANT

W 1 2 3 4 5

ABRASION RESISTANT

A 1 2 3 4 5

UPPER	Full Plain leather Eyelets, Lace up Padded collar for comfort Low Ankle
LINNING	Machine Needle-fibred vamp imported lining for excellent perspiration absorption
IN-SOCKS	Flexibility, comfort and stability, Non Slippery, Sweat Absorbant
MIDSOLE	Shank reinforcement for arch support , Midsole plate 90709
TOE CAP	Steel (200J) - With labortory report
SOLE	PU- Dual Density - Rubber+Pu (Heat Resistant upto 95°C)



GT- DD/LCN ♂

Extreme Multi Safety Shoe

SIZES COLOUR

6-12 BLACK

SLIP RESISTANT

S 1 2 3 4 5

HEAT RESISTANT

H 1 2 3 4 5

WATER RESISTANT

W 1 2 3 4 5

ABRASION RESISTANT

A 1 2 3 4 5

UPPER	Full Grain leather Hooks, Lace up Padded collar for comfort Padded tongue
LINNING	Synthetic lining, Non-resolveable thread
IN-SOCKS	Flexibility, comfort and stability, Anti-static, Heat absorbant
MIDSOLE	Shank reinforcement for arch support , Midsole plate 90809
TOE CAP	Steel (200J) - With labortory report
SOLE	Dual Density Pu Sole (Black & Grey)

EXTREME MULTIRANGE

Insulated protection against severe heat and cold, cut resistant, anti-slip

EXTREMEWEAR RANGE



GT- DD/HCN ♂
Extreme Multi Safety Shoe

SIZES COLOUR
40-45 BLACK

SLIP RESISTANT (S 1 2 3 4 5) HEAT RESISTANT (H 1 2 3 4 5) WATER RESISTANT (W 1 2 3 4 5) ABRASION RESISTANT (A 1 2 3 4 5)

- UPPER** Full Grain **leather** | Hooks, Lace up | Padded collar for comfort | High Ankle
- LINNING** **Synthetic** lining for excellent absorption
- IN-SOCKS** Flexibility, comfort and stability, Anti-Static, Heat Absorbant
- MIDSOLE** Shank reinforcement for **arch support**, Midsole plate 90709
- TOE CAP** Steel (**200J**) - With labortory report
- SOLE** Dual Density Pu Sole (Black & Grey)



Recommended for Office Use

GT- CRP/HC ♂
Extreme Safety Shoe

SIZES COLOUR
6-12 BROWN

SLIP RESISTANT (S 1 2 3 4 5) HEAT RESISTANT (H 1 2 3 4 5) WATER RESISTANT (W 1 2 3 4 5) ABRASION RESISTANT (A 1 2 3 4 5)

- UPPER** Full Texture **leather** | Eyelets, Lace up | Padded collar for comfort | Padded tongue
- LINNING** **Synthetic** lining, Non-resolveable thread
- IN-SOCKS** Flexibility, comfort and stability
- MIDSOLE** Shank reinforcement for **arch support**, Midsole plate 90809
- TOE CAP** Steel (**200J**) - With labortory report
- SOLE** American Crape Sole

PARAMILITARY RANGE

Hard-wearing leather boots for strength and endurance

PARAMILITARY RANGE



GT- CMM ♂
PARAMILITARY BOOT

SIZES COLOUR
3-12 BLACK

SLIP RESISTANT

S 1 2 3 4 5

HEAT RESISTANT

H 1 2 3 4 5

WATER RESISTANT

W 1 2 3 4 5

ABRASION RESISTANT

A 1 2 3 4 5

UPPER	Pure Grain leather Hooks, Lace up Foam collar for comfort High Ankle
LINING	Needle-fibred lining, Non Resolvable Thread
IN-SOCKS	Flexibility, comfort and stability
MIDSOLE	Shank reinforcement for arch support , Midsole plate 90709
TOE CAP	Steel (200J) - With laboratory report, Fibre Toe (Optional)
SOLE	DMS- Direct Moulding Sole

PARAMILITARY RANGE

Hard-wearing leather boots for strength and endurance

PARAMILITARY RANGE



Recommended
for Security
Guards

GT-DMS/SC ♂
PARAMILITARY BOOT

SIZES COLOUR
3-12 BLACK

SLIP RESISTANT

S 1 2 3 4 5

HEAT RESISTANT

H 1 2 3 4 5

WATER RESISTANT

W 1 2 3 4 5

ABRASION RESISTANT

A 1 2 3 4 5

UPPER	Grain leather Hooks, Lace up High Ankle
LINING	Needle-fibred vamp lining for excellent perspiration absorption
IN-SOCKS	Flexibility, comfort and stability
MIDSOLE	Shank reinforcement for arch support , Midsole plate 90709
TOE CAP	Steel (200J) - With laboratory report, Fibre Toe (optional)
SOLE	DMS Sole (Direct Moulding Sole)

OUR VALUED CLIENTS

We want our clients to trust us





GEAR TECH

LAHORE OFFICE

Office no F1, First floor Moon tower, Model town
M block, Lahore
042 35219086 - 0332 4644569 - 0346 4003007
Geartech.pk@gmail.com - Info@geartech.pk

KARACHI OFFICE

E-12 6th floor, Mayfair centre, Area saddar
Karachi
021 32244073 - 0336 8511423
Geartech.karachi@gmail.com

Visit our website: www.geartech.pk